



Material:

- Tungsten Carbide Standard
- TiC = Titanium Carbide
- BKCR = Cermet Tip
- DT = Diamond Tip

Options:

See Wedge Modifications

Lengths:

- 375 = 0.375 in./9.52mm
- S = 0.437 in./11.1mm
- 625 = 0.625 in./15.88mm
- 3/4 = 0.750 in./19.05mm
- L = 0.828 in./21.03mm
- 1.0 = 1.000 in./25.4mm
- Other = Specify

**Specify:** Series - Bond Length/BW/Radius & Groove Spec. - Shank Length - Options

**Example:**

2T21-35050C-S-TiC

2T22-45075C-3/4-20D

<b>DASH NUMBER</b>	<b>BL in./<math>\mu</math>m <math>\pm</math>.0002/5</b>	<b>BW in./<math>\mu</math>m <math>\pm</math>.0002/5</b>	<b>FR=BR=LR=RR in./<math>\mu</math>m <math>\pm</math>.0002/5</b>	<b>W in./<math>\mu</math>m <math>\pm</math>.0002/5</b>	<b>CGR=LGR in./<math>\mu</math>m <math>\pm</math>.0001/3</b>	<b>CGD=LGD in./<math>\mu</math>m <math>\pm</math>.0001/3</b>
<b>15015B</b>	.0015/38	.0015/38	.0005/13	.0023/58	.0004/10	.0004/10
<b>20020B</b>	.0020/51	.0020/51	.0005/13	.0028/71	.0004/10	.0004/10
<b>20032</b>	.0020/51	.0032/81	.0005/13	.0040/102	.0004/10	.0004/10
<b>20040B</b>	.0020/51	.0020/51	.0005/13	.0048/122	.0004/10	.0004/10
<b>25025B</b>	.0025/64	.0025/64	.0005/13	.0033/84	.0004/10	.0004/10
<b>25050B</b>	.0025/64	.0050/127	.0005/13	.0058/147	.0004/10	.0004/10
<b>30030B</b>	.0030/76	.0030/76	.0005/13	.0038/97	.0004/10	.0004/10
<b>30060B</b>	.0030/76	.0060/152	.0005/13	.0068/173	.0004/10	.0004/10
<b>35040B</b>	.0035/89	.0040/102	.0005/13	.0048/122	.0004/10	.0004/10
<b>40040B</b>	.0040/102	.0040/102	.0005/13	.0048/122	.0004/10	.0004/10
<b>40060B</b>	.0040/102	.0060/152	.0005/13	.0068/173	.0004/10	.0004/10
<b>45040B</b>	.0045/114	.0040/102	.0005/13	.0048/122	.0004/10	.0004/10
<b>45045B</b>	.0045/114	.0045/114	.0005/13	.0053/135	.0004/10	.0004/10
<b>50050</b>	.0050/127	.0050/127	.0005/13	.0058/147	.0004/10	.0004/10
<b>55040B</b>	.0055/140	.0040/102	.0005/13	.0048/122	.0004/10	.0004/10
<b>30030C</b>	.0030/76	.0030/76	.0010/25	.0047/119	.0008/20	.0007/18
<b>30050C</b>	.0030/76	.0050/127	.0010/25	.0067/170	.0008/20	.0007/18
<b>30120C</b>	.0030/76	.0120/305	.0010/25	.0137/348	.0008/20	.0007/18
<b>35050C</b>	.0030/76	.0050/127	.0010/25	.0067/170	.0008/20	.0007/18
<b>40040C</b>	.0040/102	.0040/102	.0010/25	.0057/145	.0008/20	.0007/18
<b>40060C</b>	.0040/102	.0060/152	.0010/25	.0077/196	.0008/20	.0007/18
<b>40090C</b>	.0040/102	.0090/229	.0010/25	.0107/272	.0008/20	.0007/18
<b>45045C</b>	.0045/114	.0045/114	.0010/25	.0062/158	.0008/20	.0007/18
<b>50050C</b>	.0050/127	.0050/127	.0010/25	.0067/170	.0008/20	.0007/18
<b>55070C</b>	.0055/140	.0070/178	.0010/25	.0087/221	.0008/20	.0007/18
<b>55080</b>	.0055/140	.0080/203	.0010/25	.0097/246	.0008/20	.0007/18
<b>60060C</b>	.0060/152	.0060/152	.0010/25	.0077/196	.0008/20	.0007/18
<b>60080C</b>	.0060/152	.0080/203	.0010/25	.0097/246	.0008/20	.0007/18
<b>80080C</b>	.0080/203	.0080/203	.0010/25	.0097/246	.0008/20	.0007/18